

**I B. Tech I Semester Supplementary Examinations, May - 2018**  
**ENGINEERING MECHANICS**

(Com. to CE,EEE,ME,Aero E,Auto E,Bio-Tech,Chem E, Min E,Metal E, PE, PChem E)

Time: 3 hours

Max. Marks: 70


- Note: 1. Question Paper consists of two parts (**Part-A** and **Part-B**)  
 2. Answer **ALL** the question in **Part-A**  
 3. Answer any **FOUR** Questions from **Part-B**

**PART -A**


1. a) Explain (i) coefficient of friction; (ii) cone of friction. (2M)
- b) Two forces are acting on a body and the body is in equilibrium. What conditions should be fulfilled by these two forces? (2M)
- c) Define centriod and centre of gravity. (2M)
- d) Define mass moment of inertia and explain the transfer formula for mass moment of inertia. (2M)
- e) What are the parameters that define rectilinear motion? State the relationship between these parameters. (2M)
- f) State the law of conservation of momentum. (2M)
- g) State the assumptions made while studying projectile motion. (2M)

**PART -B**

2. a) What do you understand by the term 'Couple'? Discuss the characteristics of a couple. (6M)
- b) Figure shows two vertical forces and a couple of moment 2000 N-m acting on a horizontal rod which is fixed at end A. Determine the resultant of the system. (8M)




3. a) State and Prove Lami's theorem. (6M)
- b) A 10 m boom supports a load of 600 kg, as shown in the figure. The cable BC is horizontal and 5 m long. Determine the forces in the boom and the cable. (8M)




4. a) State and prove Pappus theorems of area and volume. (6M)

b) Determine the centre of gravity of the following figure. (8M)



5. a) An isosceles triangle section ABC has a base of 100mm and 60mm height. (6M)  
Determine the moment of inertia of triangle about the centroid and about base.

b) Find the moment of inertia of the following figure about the given XX-axes. (8M)



6. a) A stone, dropped from a certain height, can reach the ground in 5s. It is stopped after 3 seconds of its fall and then allowed to fall again. Find the time taken by the stone to reach the ground for the remaining distance. (6M)

b) Two trains P and Q leave the same station on parallel lines. Train P starts at rest with uniform acceleration of  $0.2 \text{ rad/s}^2$  attains a speed of 10 m/s. Further the speed is kept constant. Train Q leaves 30 seconds later with uniform acceleration of  $0.5 \text{ m/s}^2$  from rest and attains a maximum speed of 20 m/s, when will train Q overtake train P. (8M)

7. a) Determine the work done by an electric motor in winding up a uniform cable (6M)  
which hangs from a hoisting drum if its free length is 20m and weighs 800N. The drum is rotated by the motor.

b) A 20 kg block starting from rest slides up a  $30^\circ$  inclined plane under the action of (8M)  
a 175 N force directed along the inclined plane. The coefficient of kinetic friction between the block and the plane is 0.2. Determine the (i) speed of the block after it slides 4.5 m and (ii) the distance travelled by the block when its speed becomes 4.5 m/s.

**I B. Tech I Semester Regular/Supplementary Examinations, Oct/Nov - 2018****ENGINEERING MECHANICS**

(Com. to CE,EEE,ME,Aero E,Auto E,Bio-Tech,Chem E, Min E,Metal E, PE, PChem E)

Time: 3 hours


Max. Marks: 70

Note: 1. Question Paper consists of two parts (**Part-A** and **Part-B**)2. Answering the question in **Part-A** is compulsory3. Answer any **FOUR** Questions from **Part-B****PART -A**


1. a) Describe the procedure to find resultant of concurrent force system. (2M)
- b) Describe the free body diagram and its importance in the analysis of problems. (2M)
- c) Differentiate between centroid and centre of gravity. (2M)
- d) Discuss the significance of Moment of Inertia? (2M)
- e) Explain (i) coefficient of friction; (ii) cone of friction. (2M)
- f) State the D'Alembert's principle. (2M)
- g) State the assumptions made while studying projectile motion. (2M)

**PART -B**


2. a) Find the resultant of coplanar forces system given in the figure and the same on AB with due consideration to the applied moment. (7M)



- b) A 100N uniform rod AB is held in the position as shown in the figure. If the coefficient of friction is 0.15 at A and B. Calculate range of values of P for which equilibrium is maintained. (7M)



3. a) Find the force and its nature in members AD and BC for given cantilever truss loaded by 40kN as shown in figure. (AB=4m and AD=5m). (7M)




Code No: R161111

R16


SET - 1

- b) Block P of mass 5 kg and block Q of mass  $m$  kg is suspended through the cord in the equilibrium position as shown in the figure. Determine the mass of block Q.



(7M)

4. a) Derive the centroid of the trapezium shown in the figure.




(7M)

- b) Determine the centre of gravity of a solid hemisphere of radius  $r$  from its diametral axis.  
 5. a) Find the moments of inertia of the cut section shown about the centroidal axes. Two semicircular portions are cut from a rectangular plate.

(7M)

(7M)




- b) Determine the mass moment of inertia of a solid sphere of radius  $R$  about its diametral axis.  
 6. a) A cage descends a mine shaft with an acceleration of  $0.6\text{m/sec}^2$ . After the cage has travelled 30m, a stone is dropped from the top of the shaft. Determine the time taken by the stone to hit the cage and distance travelled by the cage before impact.  
 b) A projectile is aimed at a target on the horizontal plane and falls 12m short when the angle of projection is 15 deg while it overshoots by 24m when the angle is 45 deg. Find the angle of projection to hit the target.

(7M)

(7M)

(7M)

7. a) A pulley of weight 400 N has a radius of 0.6 m. A block of 600 N is suspended by a tight rope wound round the pulley, the other end being attached to the pulley as shown in figure. Determine the resulting acceleration of the weight and the tension in the rope.



(7M)

- b) Derive the impulse-Momentum equation of a body in motion.

(7M)



**I B. Tech I Semester Regular/Supplementary Examinations, Oct/Nov - 2018**  
**ENGINEERING MECHANICS**

(Com. to CE,EEE,ME,Aero E,Auto E,Bio-Tech,Chem E, Min E,Metal E, PE, PChem E)

Time: 3 hours

Max. Marks: 70


- Note: 1. Question Paper consists of two parts (**Part-A** and **Part-B**)  
 2. Answering the question in **Part-A** is compulsory  
 3. Answer any **FOUR** Questions from **Part-B**
- ~~~~~

**PART -A**


1. a) State and describe the significance of Varignons theorem. (2M)
- b) What are the conditions of equilibrium for concurrent, parallel and general force system? (2M)
- c) Explain why the first moment of an area with an axis of symmetry is zero. (2M)
- d) What is the significance of Products of Inertia? (2M)
- e) Define the term "Friction". What are coulomb's laws of dry friction? (2M)
- f) State the law of conservation of momentum. (2M)
- g) What are the parameters that define rectilinear motion? State the relationship between these parameters. (2M)

**PART -B**


2. a) A boom AD supporting a load of 15KN at the end D is held in a horizontal position by a ball and socket joint at A and by two cables BE and CF as shown. Determine the tension in each cable and the reaction at A. Neglect the weight of the boom. (7M)



- b) Three blocks are placed on the surface one above the other as shown in the figure. The static coefficient of friction between the blocks and block C and surface is also shown in figure. Determine the maximum value of P that can be applied before any slipping takes place. (7M)




3. a) Find the forces in members B,E and F of cantilever truss loaded as shown in figure.




(7M)

- b) A frame ABC is pin joint at B and external force 1000N is applied horizontally as shown in figure. Determine the force exerted in bar AB and BC.




(7M)

4. a) Determine the centroid of the area shown in the figure.




(7M)

- b) Determine the centre of mass of a composite body formed by placing a brass cone with a base diameter of 8 cm and 12cm height over a steel cylinder of same diameter and a height of 10 cm. Density of steel is  $7850 \text{ kg/m}^3$  and that of brass is  $8650 \text{ kg/m}^3$ .



(7M)


5. a) Determine the moment of inertia of the quarter-circular spandrel shown in figure about axes AA and about BB.



(7M)

- b) Determine the mass moment of inertia of a circular ring of mass M and radius R about centroidal axes.

(7M)



6. a) A car is moving with a velocity of 72 kmph. After seeing a child on the road the brakes are applied and the vehicle is stopped in a distance of 15 m. If the retardation produced is proportional to distance from the point where brakes are applied, find the expression for retardation. (7M)
- b) A flywheel which accelerates at uniform velocity is observed to have made 100 revolutions to increase the velocity from 120 rpm to 160 rpm. If the flywheel originally started from rest, determine the value of acceleration and time taken to increase the velocity from 120 rpm to 160 rpm. (7M)
7. a) Define work energy principle. Also derive the equation for work energy. (7M)
- b) A 320 kN gun fires a 6 kN shell horizontally with a velocity of 300m/s. What is the recoil velocity of the gun? The recoil is overcome by applying an average force of 500 kN. What is the distance travelled by the gun and the time taken? (7M)



## ENGINEERING MECHANICS

(Com. to CE,EEE,ME,Aero E,Auto E,Bio-Tech,Chem E, Min E,Metal E, PE, PChem E)

Time: 3 hours


Max. Marks: 70

Note: 1. Question Paper consists of two parts (**Part-A** and **Part-B**)2. Answering the question in **Part-A** is compulsory3. Answer any **FOUR** Questions from **Part-B**PART - A


1. a) Discuss the analytical method to find the resultant of a force system. (2M)
- b) State and prove Lamis theorem. (2M)
- c) State the pappus theorems. (2M)
- d) Write the Numerical formula of Polar Moment of Inertia. (2M)
- e) Define angle of repose. (2M)
- f) Define the terms momentum and Impulse. (2M)
- g) Define fixed-axis of rotation and give an example. (2M)

PART - B

2. a) Block B in figure weighs 100 N. Determine the maximum weight of the block A for which the system will be in equilibrium. The coefficient of static friction between the block B and the table is 0.20. (7M)



- b) Forces  $P_1, P_2, P_3$  and  $P_4$  of magnitude 10kN, 20kN, 25kN and 40kN are concurrent in space and are directed through the points  $A(3,2,5), B(1,7,4), C(4,-2,4)$  and  $D(-2,4,-3)$  respectively. Determine the resultant of the system of forces, the system of forces are concurrent at the origin. (7M)
3. a) A Truss of 8 metres span, is loaded as shown in figure. Find the forces in the members CD, FD and FE of the truss using method of sections. (7M)




R16

SET - 3


Code No: R161111

- b) Determine the force  $P$  applied at  $30^\circ$  to the horizontal just necessary to start a roller having radius  $50$  cm over a obstruction  $12$  cm high, if roller is of mass  $100$  kg, as shown in the figure.



(7M)

4. a) Determine the centroid of the shaded area formed by removing a semicircle of diameter  $r$  from a Quarter circle of radius  $r$ .




(7M)

- b) Locate the centre of gravity of the right circular cone of base radius  $r$  and height  $h$ .

(7M)


5. a) Compute the second moment of the area shown in the figure.

(7M)



- b) A uniform steel rod is bent into the shape of an isosceles triangle. Compute the radius of gyration about an axis through  $O$  perpendicular to the plane of the figure. The total mass of the steel rod is  $10$  kg.

(7M)



6. a) The horizontal component of the velocity of a projectile is twice its initial vertical component. Find the range on the horizontal plane, if the projectile passes through a point  $18$  m horizontally and  $3$  m vertically about the point of projection.

(7M)

- b) A stone is thrown upwards from the top of a tower  $70$  m height with a velocity of  $19.2$  m/s. Determine its position and velocity when  $t = 6$  seconds.

(7M)




**R16**

**SET - 3**

Code No: R161111

7. a) Two blocks of weight  $W_1$  and  $W_2$  are connected by inextensible wire passing over a smooth pulley as in the figure. If  $W_1$  is greater than  $W_2$ , find the tension in the string and the acceleration of the system.



(7M)

- b) Derive the work energy equation of translation

(7M)



**I B. Tech I Semester Regular/Supplementary Examinations, Oct/Nov - 2018**  
**ENGINEERING MECHANICS**

(Com. to CE,EEE,ME,Aero E,Auto E,Bio-Tech,Chem E, Min E,Metal E, PE, PChem E)

Time: 3 hours

Max. Marks: 70

Note: 1. Question Paper consists of two parts (**Part-A** and **Part-B**)

2. Answering the question in **Part-A** is compulsory


3. Answer any **FOUR** Questions from **Part-B**

**PART -A**


1. a) State and prove the law of parallelogram of forces. (2M)
- b) Explain the types of supports and indicate the reactions they offer. (2M)
- c) State the pappus theorem-II and determine the volume of a cylinder using it. (2M)
- d) Explain the transfer formula for mass moment of inertia. (2M)
- e) Define the system of forces. Sketch the Concurrent system of forces. (2M)
- f) Find the product of inertia of a rectangle of sides a and b with respect to the axes that lie along its two sides. (2M)
- g) Define general plane motion and give an example. (2M)

**PART -B**


2. a) Determine the necessary force P acting parallel to the plane to cause motion to impend shown in figure. Assume coefficient of friction as 0.25 and the pulley to be smooth. (7M)



- b) In the figure shown, reduce the given system of forces acting on beam AB to an equivalent force-couple system at point A and point B. (7M)



3. a) A truss of 12 metres span is loaded as shown in figure. Determine the forces in the members BD,CE and CD of the truss. (7M)




Code No: R161111

R16

SET - 4


- b) Find the support reactions at A and B for the beam loaded as shown in the figure.



(7M)


4. a) Determine the surface area and volume of a cone using the pappus and guldinus theorems. (7M)

- b) A concrete block of size  $0.6\text{m} \times 0.75\text{m} \times 0.5\text{m}$  is cast with a hole of diameter  $0.2\text{m}$  and depth  $0.3\text{m}$  as shown in figure. The hole is completely filled with steel balls weighing  $2500\text{N}$ . Locate the centre of gravity of the body. Take the weight of the concrete  $= 25000\text{N}/\text{m}^3$ .




(7M)

5. a) Determine the product of inertia of the quarter-circular area with respect to X and Y axes as in the given figure.



(7M)

- b) Determine the mass moment of inertia of the composite solid shown about the axis of rotation. The solid is made up of two identical spheres each of  $2\text{kg}$  mass and  $3\text{cm}$  radius attached at the end of a slender rod of  $400\text{grams}$  mass and  $15\text{cm}$  length.



(7M)

6. a) A bullet is fired from a height of  $120\text{m}$  a velocity of  $360\text{kmph}$  at an angle of  $30^\circ$  upwards. Neglecting air resistance find (i) total time of flight; (ii) Horizontal range of bullet. (7M)

- b) Power supply is cut off to a power driven wheel when it was rotating at a speed of  $900\text{rpm}$ . It was observed to come to rest after making  $360$  revolutions. Determine its angular retardation and time it took to come to rest after power supply was cut off. (7M)

7. a) A man weighing  $W$  Newton entered a lift which moves with an acceleration of  $a\text{ m/sec}^2$ . Find the force exerted by the man on the floor of lift when i) lift is moving upwards ,ii) lift is moving downwards. (7M)

- b) In a police investigation of tire marks, it was concluded that a car while in motion along a straight level road skidded for a distance of  $60$  meters after the brakes were applied. If the coefficient of friction between the tires and the pavement is estimated as  $0.6$ , what was the probable speed of the car just before the brakes were applied? (7M)



**I B. Tech I Semester Supplementary Examinations, May - 2018**  
**ENGINEERING MECHANICS**

(Com. to CE,EEE,ME,Aero E,Auto E,Bio-Tech,Chem E, Min E,Metal E, PE, PChem E)

Time: 3 hours

Max. Marks: 70

- Note: 1. Question Paper consists of two parts (**Part-A** and **Part-B**)  
 2. Answer **ALL** the question in **Part-A**  
 3. Answer any **FOUR** Questions from **Part-B**


**PART -A**

1. a) Explain (i) coefficient of friction; (ii) cone of friction. (2M)
- b) Two forces are acting on a body and the body is in equilibrium. What conditions should be fulfilled by these two forces? (2M)
- c) Define centriod and centre of gravity. (2M)
- d) Define mass moment of inertia and explain the transfer formula for mass moment of inertia. (2M)
- e) What are the parameters that define rectilinear motion? State the relationship between these parameters. (2M)
- f) State the law of conservation of momentum. (2M)
- g) State the assumptions made while studying projectile motion. (2M)

**PART -B**


2. a) What do you understand by the term 'Couple'? Discuss the characteristics of a couple. (6M)

- b) Figure shows two vertical forces and a couple of moment 2000 N-m acting on a horizontal rod which is fixed at end A. Determine the resultant of the system. (8M)




3. a) State and Prove Lami's theorem. (6M)

- b) A 10 m boom supports a load of 600 kg, as shown in the figure. The cable BC is horizontal and 5 m long. Determine the forces in the boom and the cable. (8M)




4. a) State and prove Pappus theorems of area and volume. (6M)

- b) Determine the centre of gravity of the following figure. (8M)



5. a) An isosceles triangle section ABC has a base of 100mm and 60mm height. Determine the moment of inertia of triangle about the centroid and about base. (6M)

- b) Find the moment of inertia of the following figure about the given XX-axes. (8M)



6. a) A stone, dropped from a certain height, can reach the ground in 5s. It is stopped after 3 seconds of its fall and then allowed to fall again. Find the time taken by the stone to reach the ground for the remaining distance. (6M)

- b) Two trains P and Q leave the same station on parallel lines. Train P starts at rest with uniform acceleration of  $0.2 \text{ rad/s}^2$  attains a speed of 10 m/s. Further the speed is kept constant. Train Q leaves 30 seconds later with uniform acceleration of  $0.5 \text{ m/s}^2$  from rest and attains a maximum speed of 20 m/s, when will train Q overtake train P. (8M)

7. a) Determine the work done by an electric motor in winding up a uniform cable which hangs from a hoisting drum if its free length is 20m and weighs 800N. The drum is rotated by the motor. (6M)

- b) A 20 kg block starting from rest slides up a  $30^\circ$  inclined plane under the action of a 175 N force directed along the inclined plane. The coefficient of kinetic friction between the block and the plane is 0.2. Determine the (i) speed of the block after it slides 4.5 m and (ii) the distance travelled by the block when its speed becomes 4.5 m/s. (8M)